



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|-----------------|-------------|----------------------|---------------------|------------------|
| 10/068,466 | 02/05/2002 | Sally Elaine Saffer | 200302250-1 | 6758 |

7590 09/06/2006

IP Administration
Legal Dept., M/S 35
Hewlett-Packard Company
P.O. Box 272400
Fort Collins, CO 80527-2400

EXAMINER

ORTIZ, BELIX M

ART UNIT PAPER NUMBER

2164

DATE MAILED: 09/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

| | | | |
|------------------------------|-------------------------------|-------------------------------|--|
| Office Action Summary | Application No. 10/068,466 | Applicant(s) SAFFER ET AL. | |
| | Examiner Belix M. Ortiz | Art Unit 2164 | |

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 27 June 2006.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-73 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-4, 8-22, 29-35, 39-53, 60-63, 65-67 and 69-73 is/are rejected.
- 7) ☒ Claim(s) 5-7, 23-28, 36-38, 54-59, 64, and 68 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Remarks

1. In response to communications files on 27-June-2006, the specification of the disclosure. Therefore, claims 1-73 are presently pending in the application.

Claim Rejections - 35 USC § 103

2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

3. Claims 1-4, 8-13, 29-35, 39-44, 62-63, and 66-67 are rejected under 35 U.S.C. 103(a) (Eff. Filing date of application 2/5/2002) as being unpatentable over Kawai (U.S. patent 5,717,924) (Eff. Filing date of application 7/7/1995) in view of Goldring (U.S. patent 5,553,279) (Eff. Filing date of application 10/8/1993).

As to claim 1, Kawai teaches an operational data store (see abstract; column 1, lines 8-10; and column 3, lines 29-33), comprising:

an insert table for storing new data (see figure 10A, character 320).

Kawai does not teach a history table for storing historical data; and

transfer logic for periodically transferring new data from the insert table to the history.

Art Unit: 2164

Goldring teaches lossless distribution of time series data in a relational data base network (see abstract), in which he teaches a history table for storing historical data (see abstract; figure 2, character 46; column 1, lines 20-23; column 1, lines 46-54; column 2, lines 66-67; and column 3, lines 1-8 where in “history table” is read on “consistent change data table”); and

transfer logic for periodically transferring new data from the insert table to the history table (see column 6, lines 33-40; column 6, lines 62-67; column 7, lines 1-10; and column 8, lines 33-40).

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Goldring because a history table for storing historical data; and

transfer logic for periodically transferring new data from the insert table to the history, would enable a operational data store because, “The change data noted above, including the change operation identifier that permits multi-generational snapshot copying without loss of change information, is placed in a Consistent.sub.-- Change.sub.-- Data table 46 by the Apply Processor 34. There is a Consistent.sub.-- Change.sub.-- Data table for each snapshot copy 38 of a user table 28. The Consistent.sub.-- Change.sub.-- Data table includes only updates that have been committed and is created by performing an SQL join operation on the Change.sub.-- Data 42 and UOW 44 tables. That is, after the Log Read Processor inserts information from the activity log 32 into the Change.sub.-- Data and UOW tables, the Apply Processor will read both tables and, based on records with the same log sequence number, will join information in the tables according to transaction updates that have committed since the time of the previous time stamp value, or

Art Unit: 2164

most recent differential refresh operation”, (see Goldring, column 6, lines 66-67 and column 7, lines 1-8).

As to claim 2, Kawai as modified teaches wherein the history table is partitioned (see column 2, lines 27-29).

As to claim 3, Kawai as modified teaches wherein the history table is partitioned by range (see Kawai, column 18, lines 45-46).

As to claim 4, Kawai as modified teaches wherein each partition is further sub-partitioned (see Kawai, Figures 2 and 5).

As to claim 8, Kawai as modified teaches the transfer logic comprising:
a secondary table (see Kawai, figure 10B, character 344);
fill logic for filling the secondary table with selected data from the insert table (see Kawai, figure 10B); and
secondary transfer logic for transferring the secondary table into the history table, the selected data thereby being transferred into the history table (see Kawai, figure 10B).

As to claim 9, Kawai as modified teaches wherein the history table has an indexing scheme, the secondary transfer logic (see Kawai, figures 15A and 15B; column 10, line 17; and column 13, lines 9-19) further comprising:

Art Unit: 2164

indexing logic for applying the history table indexing scheme to the secondary table (see Kawai, figures 15A and 15B; column 10, line 17; and column 13, lines 9-19).

As to claim 10, Kawai as modified teaches wherein the indexing logic applies the history table indexing scheme to the secondary table prior to transferring the secondary table into the history table (see Kawai, figures 15A and 15B).

As to claim 11, Kawai as modified teaches the secondary transfer logic further comprising:

table logic for creating a new partition the history table, the new partition for swapping with the secondary table (see Kawai, table 2, lines 9).

As to claim 12, Kawai as modified teaches wherein the secondary transfer logic swaps the secondary table: and the new partition by exchanging respective pointers (see Kawai, column 10, line 14 and column 10, lines 25-30).

As to claim 13, Kawai, as modified teaches the operational data store further comprising:
a query engine for applying a database query to both the history table and the insert table (see Kawai, column 2, lines 19-21 and column 4, lines 29-42).

Art Unit: 2164

As to claim 29, Kawai as modified teaches wherein data from the insert table is transferred to the history table at regular intervals (see Kawai, column 16, lines 37-42 and column 16, lines 46-50).

As to claim 30, Kawai as modified teaches wherein the intervals are configurable (see Kawai, column 16, lines 37-52).

As to claim 31, Kawai teaches wherein the intervals are different for different tables (see Kawai, column 16, lines 38-42).

As to claim 32, Kawai teaches a method for maintaining an operational data store (see abstract; column 1, lines 8-10; and column 3, lines 29-33), comprising:

inserting new data into an insert table (see figure 10A, character 320).

Kawai does not teach periodically transferring data from the insert table to a history table.

Goldring teaches lossless distribution of time series data in a relational data base network (see abstract), in which he teaches periodically transferring data from the insert table to a history table (see column 6, lines 33-40; column 6, lines 62-67 and column 7, lines 1-10 where in “history table” is read on “consistent change data table” and column 8, lines 33-40); and

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Goldring because periodically transferring data from the insert table to a history table, would enable a operational data store because, “The change data noted above, including the change operation identifier that permits

Art Unit: 2164

multi-generational snapshot copying without loss of change information, is placed in a Consistent.sub.-- Change.sub.-- Data table 46 by the Apply Processor 34. There is a Consistent.sub.-- Change.sub.-- Data table for each snapshot copy 38 of a user table 28. The Consistent.sub.-- Change.sub.-- Data table includes only updates that have been committed and is created by performing an SQL join operation on the Change.sub.-- Data 42 and UOW 44 tables. That is, after the Log Read Processor inserts information from the activity log 32 into the Change.sub.-- Data and UOW tables, the Apply Processor will read both tables and, based on records with the same log sequence number, will join information in the tables according to transaction updates that have committed since the time of the previous time stamp value, or most recent differential refresh operation", (see Goldring, column 6, lines 66-67 and column 7, lines 1-8).

As to claim 33, Kawai as modified teaches the method further comprising:
partitioning the history table (see Kawai, column 2, lines 27-29).

As to claim 34, Kawai as modified teaches wherein the history table is partitioned according to range (see Kawai, column 18, lines 45-46).

As to claim 35, Kawai as modified teaches the method further comprising:
sub-partitioning each partition (see Kawai, figures 2 and 5).

As to claim 39, Kawai as modified teaches the method further comprising:

Art Unit: 2164

creating a secondary table (see Kawai, figure 10B, character 344);
filling the secondary table with selected data from the insert table (see Kawai, figure 10B); and
transferring the secondary table into the history table, the selected data thereby being transferred into the history table (see Kawai, figure 10B).

As to claim 40, Kawai as modified teaches wherein the history table has an indexing scheme (see Kawai, figures 15A and 15B; column 10, line 17; and column 13, lines 9-19), the method further comprising:

applying the history table indexing scheme to the secondary table (see Kawai, figures 15A and 15B; column 10, line 17; and column 13, lines 9-19).

As to claim 41, Kawai as modified teaches wherein the history table indexing scheme is applied to the secondary table prior to transferring the secondary table into the history table (see Kawai, figures 15A and 15B).

As to claim 42, Kawai as modified teaches the method further comprising:
creating a new partition in the history table, wherein the secondary table is transferred by being swapped with the new partition (see Kawai, table 2, line 9).

Art Unit: 2164

As to claim 43, Kawai as modified teaches wherein the secondary table and new partition are swapped by exchanging respective pointers (see Kawai, column 10, line 14 and column 14, lines 25-30).

As to claim 44, Kawai as modified teaches the method further comprising:
applying a database query to both the history table and the insert table (see Kawai, column 2, lines 19-21 and column 4, lines 29-42).

As to claim 62, Kawai teaches an operational data store (see abstract; column 1, lines 8-10; and column 3, lines 29-33), comprising:

means for inserting new data into an insert table (see figure 10A, character 320);
and

means for applying a database query to both the history table and the insert table (see column 2, lines 19-21 and column 4, lines 29-42).

Kawai does not teach means for periodically transferring data from the insert table to a history table.

Goldring teaches lossless distribution of time series data in a relational data base network (see abstract), in which he teaches means for periodically transferring data from the insert table to a history table (see column 6, lines 33-40; column 6, lines 62-67 and column 7, lines 1-10 where in “history table” is read on “consistent change data table” and column 8, lines 33-40);

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Goldring because means for

Art Unit: 2164

periodically transferring data from the insert table to a history table, would enable a operational data store because, “The change data noted above, including the change operation identifier that permits multi-generational snapshot copying without loss of change information, is placed in a Consistent.sub.-- Change.sub.-- Data table 46 by the Apply Processor 34. There is a Consistent.sub.-- Change.sub.-- Data table for each snapshot copy 38 of a user table 28. The Consistent.sub.-- Change.sub.-- Data table includes only updates that have been committed and is created by performing an SQL join operation on the Change.sub.-- Data 42 and UOW 44 tables. That is, after the Log Read Processor inserts information from the activity log 32 into the Change.sub.-- Data and UOW tables, the Apply Processor will read both tables and, based on records with the same log sequence number, will join information in the tables according to transaction updates that have committed since the time of the previous time stamp value, or most recent differential refresh operation”, (see Goldring, column 6, lines 66-67 and column 7, lines 1-8).

As to claim 63, Kawai as modified teaches the operational data store further comprising:
means for batching new data (see Kawai column 2, lines 15-17); and
means for inserting the batched new data into the insert table with a single database access (see Kawai column 2, lines 34-36).

As to claim 66, Kawai teaches a computer program product for operating an operational data store, the computer program product comprising a computer usable medium having

Art Unit: 2164

computer readable code thereon (see abstract; figure 1; and column 1, lines 6-8), including program code which:

inserts new data into an insert table (see figure 10A, character 320); and

applies a database query to both the; history table and the insert table (see column 2, lines 19-21 and column 4, lines 29-42).

Kawai does not teach periodically transfers data from the insert table to a history table.

Goldring teaches lossless distribution of time series data in a relational data base network (see abstract), in which he teaches periodically transfers data from the insert table to a history table (see column 6, lines 33-40; column 6, lines 62-67 and column 7, lines 1-10 where in “history table” is read on “consistent change data table” and column 8, lines 33-40); and

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Goldring because periodically transfers data from the insert table to a history table, would enable a operational data store because, “The change data noted above, including the change operation identifier that permits multi-generational snapshot copying without loss of change information, is placed in a Consistent.sub.-- Change.sub.-- Data table 46 by the Apply Processor 34. There is a Consistent.sub.-- Change.sub.-- Data table for each snapshot copy 38 of a user table 28. The Consistent.sub.-- Change.sub.-- Data table includes only updates that have been committed and is created by performing an SQL join operation on the Change.sub.-- Data 42 and UOW 44 tables. That is, after the Log Read Processor inserts information from the activity log 32 into the Change.sub.-- Data and UOW tables, the Apply Processor will read both tables and, based on records with the same log sequence number, will join information in the tables according to

Art Unit: 2164

transaction updates that have committed since the time of the previous time stamp value, or most recent differential refresh operation”, (see Goldring, column 6, lines 66-67 and column 7, lines 1-8).

As to claim 67, Kawai as modified teaches wherein the program code further:
batches new data (see Kawai column 2, lines 15-17); and
inserts the batched new data into the insert table with a single database access (see Kawai column 2, lines 34-36).

4. Claims 14-22 and 45-53 are rejected under 35 U.S.C. 103(a) (Eff. Filing date of application 2/5/2002) as being unpatentable over Kawai (U.S. patent 5,717,924) (Eff. Filing date of application 7/7/1995) in view of Goldring (U.S. patent 5,553,279) (Eff. Filing date of application 10/8/1993) as applied to claims 1-4, 8-13, 29-35, 39-44, 62-63 above, and 66-67 in view of Kessler et al. (U.S. patent 5,761,706).

As to claim 14, Kawai teaches the operational data store further comprising:
an aggregator for batching the accumulated data and transferring the batched data into the insert table with a single database access (see column 2, lines 34-36).

Kessler et al. teaches stream buffers for high-performance computer memory system (see abstract), in which he teaches an aggregation buffer for accumulating new data (see abstract and column 1, lines 6-8).

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Kessler et al., because an aggregation buffer for accumulating new data, would enable the method because, it is advantageous to replace or supplement the secondary cache with buffers. Buffers require much less hardware to implement, yet can provide performance similar to a large secondary cache. “Method and apparatus for a filtered stream buffer coupled to a memory and a processor, and operating to prefetch data from the memory. The filtered stream buffer includes a cache block storage area and a filter controller. The filter controller determines whether a pattern of references has a predetermined relationship, and if so, prefetches stream data into the cache block storage area “, (see Kessler et al., abstract).

As to claim 15, Kawai, as modified teaches wherein the aggregator transfers a batch of new data into the insert table when the batch surpasses a maximum size (see Kessler et al., column 11, lines 30-34).

As to claim 16, Kawai, as modified teaches wherein batch size is measured according to a number data bytes (see Kessler et al., figure 11 and column 14, lines 29-30).

As to claim 17, Kawai, as modified teaches wherein batch size is measured according to a number of records (see Kessler et al., figures 9 and 11).

Art Unit: 2164

As to claim 18, Kawai, as modified teaches wherein the maximum size is configurable (see Kessler et al., figures 11 and 12 and column 16, lines 30-35).

As to claim 19, Kawai, as modified teaches wherein the aggregator transfers batches of new data into the insert table at regular intervals, defined by a given period (see Kessler et al., column 1, lines 18-20).

As to claim 20, Kawai, as modified teaches wherein the period is configurable (see Kessler et al., column 1, lines 11-20).

As to claim 21, Kawai, as modified teaches wherein the aggregator transfers batches of new data into the insert table when the aggregation buffer surpasses a given maximum buffer size (see Kessler et al., column 6, lines 51-53).

As to claim 22, Kawai, as modified teaches wherein the maximum buffer size is configurable (see Kessler et al., figures 11 and 12 and column 16, lines 30-35).

As to claim 45, Kawai teaches the method further comprising:
inserting the batched new data into the insert table with a single database access (see column 2, lines 34-36).

Art Unit: 2164

Kessler et al. teaches stream buffers for high-performance computer memory system (see abstract), in which he teaches aggregating new data into batches (see abstract and column 14, lines 55-57).

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Kessler et al., because aggregating new data into batches, would enable the method because, batching the data makes easier and fast the transfer of the data to the corresponding table and is going to be just a single access to the memory.

As to claim 46, Kawai, as modified teaches wherein a batch of new data is transferred into the insert table when the batch surpasses a maximum size (see Kessler et al., column 11, lines 30-34).

As to claim 47, Kawai, as modified teaches wherein batch size is measured according to a number data bytes (see Kessler et al., figure 11 and column 14, lines 29-30).

As to claim 48, Kawai, as modified teaches wherein batch size is measured according to a number of records (see Kessler et al., figures 9 and 11).

As to claim 49, Kawai, as modified teaches wherein the maximum size is configurable (see Kessler et al., figures 11 and 12 and column 16, lines 30-35).

Art Unit: 2164

As to claim 50, Kawai, as modified teaches wherein batches of new data are transferred into the insert table at regular intervals, defined by a given period (see Kessler et al., column 1, lines 18-20).

As to claim 51, Kawai, as modified teaches wherein the period is configurable (see Kessler et al., column 1, lines 11-20).

As to claim 52, Kawai, as modified teaches the method further comprising:
aggregating the batches of new data in an aggregation buffer, wherein the batches are transferred into the insert table when the aggregation buffer surpasses a given maximum buffer size (see Kessler et al., column 6, lines 51-53).

As to claim 53, Kawai, as modified teaches wherein the maximum buffer size is configurable (see Kessler et al., figures 11 and 12 and column 16, lines 30-35).

5. Claims 60-61, 65, and 69 are rejected under 35 U.S.C. 103(a) (Eff. Filing date of application 2/5/2002) as being unpatentable over Kawai (U.S. patent 5,717,924) (Eff. Filing date of application 7/7/1995) in view of Vandivier, III (U.S. patent 5,978,771) (Eff. Filing date of application 8/8/1997).

As to claims 60 and 65, Kawai teaches a method for operating an operational data store (see abstract; column 1, lines 8-10; and column 3, lines 29-33), comprising:

Art Unit: 2164

creating a partitioned temporary table (see figure 10B, character 332);
filling the temporary table with data from an insert table (see figure 10B, character 336);
exchanging the temporary table with the new partition (see figure 10B, character 348);
and

receiving a query and applying the query to both the history table and the insert table (see column 2, lines 19-21 and column 4, lines 29-42).

Kawai does not teach creating a new partition in a composite-partitioned history table.

Vandivier, III teaches method for tracking natural resources on a resource allocation system (see abstract), in which he teaches creating a new partition in a composite-partitioned history table (see column 11, lines 20-27 and column 12, lines 19-23); and

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Vandivier, III because creating a new partition in a composite-partitioned history table, would enable a operational data store because, “User can add a new partition set 603 and define the number of constituent components corresponding to this new category. Default partition ratios for each component are entered such that the sum of the ratios each 100 percent. A user can modify 604 any constituent component of a partition set by editing partition ratios for each component. A user can also delete 605 any partition set category and its corresponding partition set database records from selected partition set”, (see Vandivier, III, column 11, lines 25-33).

Art Unit: 2164

As to claim 61, Kawai as modified teaches the method further comprising:
creating a new partition in the insert table based on values from an existing partition (see Kawai figure 7); and
dropping the existing partition (see Kawai figure 10B, character 340).

As to claim 69, Kawai teaches a computer program product for operating an operational data store (see abstract; column 1, lines 8-10; and column 3, lines 29-33), the computer program product comprising a computer usable medium having computer readable code thereon (see abstract; figure 1; and column 1, lines 6-8), including program code which:

creates a partitioned temporary table (see figure 10B, character 332);
fills the temporary table with data from an insert table (see figure 10B, character 336);
exchanges the temporary table with the new partition (see figure 10B, character 348); and
receives queries and applies the queries to both the history table and the insert table (see column 2, lines 19-21 and column 4, lines 29-42).

Kawai does not teach creates a new partition in a composite-partitioned history table.

Vandivier, III teaches method for tracking natural resources on a resource allocation system (see abstract), in which he teaches creating a new partition in a composite-partitioned history table (see column 11, lines 20-27 and column 12, lines 19-23); and

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Vandivier, III because creating a new partition in a composite-partitioned history table, would enable a operational data store

Art Unit: 2164

because, “User can add a new partition set 603 and define the number of constituent components corresponding to this new category. Default partition ratios for each component are entered such that the sum of the ratios each 100 percent. A user can modify 604 any constituent component of a partition set by editing partition ratios for each component. A user can also delete 605 any partition set category and its corresponding partition set database records from selected partition set”, (see Vandivier, III, column 11, lines 25-33).

6. Claims 70-73 are rejected under 35 U.S.C. 103(a) (Eff. Filing date of application 2/5/2002) as being unpatentable over Battas et al. (U.S. patent 6,757,706) (Eff. Filing date of application 9/7/2001) in view of Goldring (U.S. patent 5,553,279) (Eff. Filing date of application 10/8/1993).

As to claim 70, Battas et al. teaches a system for producing a desired level of service in a mixed workload environment (see column 20, lines 31-34), comprising:
a high-speed insert operational data store (ODS) (see column 15, lines 34-37);
and

an aggregator for accumulating transactions into batches and inserting each of the batches into the ODS using a single database transaction per batch (see column 15, lines 41-46).

Battas et al. does not teach a throttler for throttling selected transactions to the ODS.

Goldring teaches lossless distribution of time series data in a relational data base network (see abstract), in which he teaches a throttler for throttling selected transactions to the ODS (see column 7, lines 10-15); and

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Vandivier, III because a throttler for throttling selected transactions to the ODS, would enable a operational data store because, “As a result, the rows in the Consistent.sub.-- Change.sub.-- Data table will provide a listing of the update transactions in the order in which they were committed, sequence information used to order conflicting updates within a single transaction, and operational information used to specify whether a change was an insert, update, or delete operation”, (see Goldring, column 7, lines 10-15).

As to claim 71, Battas et al. as modified teaches wherein the mixed workload environment includes at least two of archiving, OL.TP queries, DSS queries, high-speed inserts, backup processes and extract/translate/load transactions (see Battas et al. figure 8; column 2, lines 50-54; and column 20, lines 28-33).

As to claim 72, Battas et al. teaches a method for producing a desired level of service in a mixed workload environment (see column 20, lines 31-34), comprising:

insert transactions into an operational data store (ODS) at a high-speed (see column 15, lines 34-37);

accumulating transactions into batches (see column 15, lines 41-46); and

inserting each of the batches into the ODS using a single database transaction per batch (see column 15, lines 41-46).

Battas et al. does not teach throttling selected transactions to the ODS.

Goldring teaches lossless distribution of time series data in a relational data base network (see abstract), in which he teaches throttling selected transactions to the ODS (see column 7, lines 10-15); and

It would have been obvious to a person having ordinary skill in the art at the time the invention was made to have modified Kawai by the teaching of Vandivier, III because throttling selected transactions to the ODS, would enable a operational data store because, “As a result, the rows in the Consistent.sub.-- Change.sub.-- Data table will provide a listing of the update transactions in the order in which they were committed, sequence information used to order conflicting updates within a single transaction, and operational information used to specify whether a change was an insert, update, or delete operation”, (see Goldring, column 7, lines 10-15).

As to claim 73, Battas et al. as modified teaches wherein the mixed workload environment includes at least two of archiving, OLTP queries, DSS queries, high-speed inserts, backup processes and extract/translate/load transactions (see Battas et al. figure 8; column 2, lines 50-54; and column 20, lines 28-33).

Allowable Subject Matter

7. Claims 5-7, 23-28, 36-38, 54-59, 64, and 68 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Response to Arguments

8. Applicant's arguments filed 27-June-2006 with respect to the rejected claims in view of the cited references have been fully considered but they are not found persuasive:

In response to applicants' arguments that Goldring "does not teach transfer logic for periodically transferring new data from the insert table to the history table", the arguments have been fully considered but are not deemed persuasive, because Applicant's argument is not commensurate with what is claimed since using pointers does not transfer data. Also, Applicant argues, "exchanging pointers to partitions and sub-partitions of the two tables" (p. 6, lines 22-25 of specification) does not mean "transferring data from one table to another" the transfer is just moving a pointer. And Goldring teaches transferring information from the log to two system tables, (see Goldring, column 6, lines 28-45).

Conclusion

9. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the

Art Unit: 2164

advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Belix M. Ortiz whose telephone number is 571-272-4081. The examiner can normally be reached on moday-friday 9am-5pm.

The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

bmo

August 17, 2006


CHARLES RONES
SUPERVISORY PATENT EXAMINER